SESSION XIV HALLUCINOGENS

SESSION XIV HALLUCINOGENS

Upon successfully completing this session the student will be able to:

- o Explain a brief history of the Hallucinogen category of drugs.
- o Identify common drug names and terms associated with this category.
- o Identify common methods of administration for this category.
- o Describe the symptoms, observable signs and other effects associated with this category.
- o Describe the typical time parameters, i.e. onset and duration of effects, associated with this category.
- o List the clues that are likely to emerge when the drug influence evaluation is conducted for a person under the influence of this category of drugs.
- o Correctly answer the "topics for study" questions at the end of this session.

A. Overview of Hallucinogens

Hallucinogens are drugs or substances that affect a person's perceptions, sensations, thinking, self awareness and emotions. They may also cause hallucinations. A hallucination is a sensory experience of something that does not exist outside the mind. It may involve hearing, seeing, smelling, tasting or feeling something that isn't really there. Or, it may involve <u>distorted</u> sensory perceptions, so that things look, sound, smell, taste or feel differently from the way they actually are.

Hallucinogenic drugs usually produce so called <u>pseudo-hallucinations</u>. This means that the user typically knows that what he or she is seeing, hearing, smelling, etc. is not real, but is a product of the drug.

One common type of hallucination produced by these drugs is called <u>synesthesia</u>, a sensory perception disorder, in which an input via one sense is perceived by the brain as an input via another sense. In its simplest terms, it is a transposition of senses. For example, seeing a particular <u>sight</u> may cause the user to perceive a <u>sound</u>. Hearing a <u>sound</u> may cause him or her to perceive an <u>odor</u>. Thus, a person under the influence of an hallucinogen might hear a telephone ring, and "see" a flash of brilliant color. Or, he or she might look at something colored yellow and "smell" the fragrance of roses. Sometimes hallucinogen users will make statements indicating that they are experiencing synesthesia (examples: "That chair sounds beautiful!" "Look at those fantastic odors!"). DREs should be alert for such statements, and be aware that they are significant indicators of this drug category.

Sometimes, the hallucinations can be very frightening to the user. The user may be panic stricken by what he or she is seeing or hearing, and may become uncontrollably excited, or even try to flee from the terror. Hallucinogen users call these kinds of experiences "bad trips". Users of Hallucinogens have been known to be driven into permanent insanity by these experiences.

A terrifying "bad trip" sometimes may be re-experienced as a <u>flashback</u>. Hallucinogen flashbacks apparently do not occur because of a residual quantity of drug in the user's body. Rather, flashbacks apparently are vivid recollections of a portion of a previous hallucinogenic experience. Essentially, flashbacks are very intense, and very frightening, day dreams.

There are three types of flashback; <u>emotional</u>, <u>somatic</u>, and <u>perceptual</u>. The emotional flashback is the most dangerous. It brings back strong feelings of panic, fear and loneliness, and creates an intense and very real recollection of the original "bad trip". A somatic flashback consists of altered bodily sensations, e.g., tremors, weakness, nausea, dizziness, etc. that were part of the original "trip". In a perceptual flashback, the user re-experiences some of the sensory distortions of the original "trip".

Some users experience <u>delusions</u> which are false beliefs (I am an elephant!), others experience <u>illusions</u> which are false perceptions (I see an elephant!), while others may experience both.

Naturally occurring Hallucinogens: some common examples.

<u>Peyote</u> is a small, spineless cactus containing the active hallucinogenic ingredient called mescaline. The crowns, or "buttons", of the cactus can be collected and dried, and eaten. Certain American Indian tribes have used peyote in religious ceremonies for thousands of years. Peyote currently is used legally in religious ceremonies of the Native American church.

<u>Psilocybin</u> is a drug found in a number of different species of mushrooms. An unstable derivative of psilocybin, called psilocin, also has hallucinogenic properties and also is found in these mushrooms. Psilocybin mushrooms also have a long history of use in Indian religious rituals.

Other naturally occurring Hallucinogens include nutmeg, jimson weed, morning glory seeds, salvia divinorum, and Bufotenine.

The last of those is an hallucinogenic substance found in the glands of certain toads. Bufotenine is toxic; the toad secretes Bufotenine through its skin as a defensive mechanism, to make it too unpleasant for a predator to eat the toad. But you guessed it: there are people who actually lick toads to get high from Bufotenine.

Salvia divinorum is a perennial herb in the mint family native to certain areas of Mexico. The plant, which can grow to over three feet in height, has large green leaves, hollow square stems and white flowers with purple calyces, can also be grown successfully outside of this region. Salvia divinorum has been used by the Mazatec Indians for its ritual divination and healing. The active constituent of Salvia divinorum has been identified as Salvinorin A. It was not until August 2002 that researchers discovered that Salvia divinorum acts at the kappa opiate receptor (KOR) site, where much of human reception is regulated.

According to a National Survey on Drug Use and Health Report published by SAMHSA in February 2008, it is estimated that 1.8 million persons aged 12 or older used Salvia divinorum in their lifetime.

There are numerous methods of ingesting Salvia with varying durations of hallucinogenic effects. It can be smoked, chewed, vaporized and boiled into a tea.

Effects of Salvia divinorum include: intense hallucinations; feelings of floating through space or flying; twisting and spinning. Physical effects include dizziness; nausea; lack of coordination; slurred speech, and confused sentence patterns; decreased heart rate and chills.

Some common street names for Salvia divinorum include: Salvia, Sally D, Magic Mint, Maria Pastora, and Diviner's Sage.

Salvia is not listed under the Controlled Substance Act (CSA) or approved for medical use.

(Source: DEA Office of National Control Policy Bulletin, November 2008)

Synthetically manufactured hallucinogens: some common examples.

<u>LSD</u> probably is the most famous synthetic Hallucinogen. "LSD" is an abbreviation of Lysergic Acid Diethylamide.

It is a white powder or a clear, colorless liquid. Street names include; acid, animal, barrels, beast, blotter, 'cid, dots, kool aid, LSD-25, lysergide, microdots, panes, sandoz, tabs, trips, window panes.

LSD is manufactured from lysergic acid which occurs naturally in the ergot fungus that grows on wheat and rye. It is a Schedule I controlled substance, available in liquid, powder, tablet (microdots), and capsule form. The liquid is often applied to blotter paper squares (frequently with colorful designs), stickers, sugar cubes, candy, or soda crackers. LSD is also available in dropper bottles or in the form of gelatin sheets/shapes (window panes).

MDA, MDMA, MMDA, TMA, STP, DET, and DMT are other synthetic Hallucinogens. They are sometimes referred to as "Psychedelic amphetamines" or "psychotomimetic amphetamines". Their effects are often similar to those of high doses of CNS Stimulants.

<u>MDA</u> is an abbreviation for 3,4-Methylenedioxyamphetamine. Its users sometimes refer to MDA as the "Mellow Drug of America". It is normally produced as a clear liquid, or as a white powder in capsule or tablet form. MDA often is mixed with amphetamine, cocaine, methamphetamine, LSD or STP, or occasionally with strychnine. MDA probably is the most widely abused of the "Psychedelic amphetamines".

<u>2 CB</u> is an abbreviation for 4-Bromo-2,5-Dimethoxyphenethylamine. 2 CB is also known as "Venus", "Nexxus", and "bromo-mescaline". 2CB was first synthesized in 1974. 2CB is a white powder usually found in pressed tablets or gel caps. It is almost always taken orally.

<u>MDMA</u> is an abbreviation for 3,4-methylenedioxymethamphetamine and is commonly referred to as "Ecstasy". It is an hallucinogen that also acts as a stimulant. It produces an energizing effect, as well as distortions in time and perception and enhanced enjoyment from tactile experiences. Its effects are similar to those of MDA or peyote. MDMA can effect the brain by altering the activity of chemical messengers, or neurotransmitters, which enable nerve cells in many regions of the brain to communicate with one another. MDMA also causes the release of another transmitter, norepinephrine, which is likely what causes an increase in heart rate and blood pressure.

Materials in its illicit manufacture include Isosafrole (Leuckart reaction) and Safrole (Merck patent). MDMA is most commonly found in tablet forms of various colors, carrying distinctive markings on one side such as a dove, E, yin/yang symbol, Mitsubishi symbol, etc. It was developed in Germany in the early 1900's as a parent

compound to be used to synthesize other pharmaceuticals. It was patented as an appetite suppressant and used as a possible adjunct to psychotherapy. However, it was banned by DEA in 1985 and is currently a Schedule I Controlled Substance, with no legitimate medical use.

<u>TMA</u> is an abbreviation for 3,4,5-Trimethoxyamphetamine. Its effects are also similar to those of MDA or peyote.

<u>STP</u> is an abbreviation for "Serenity, Tranquility and Peace". It is also known by the chemical name DOM, or 2, 5-dimethoxy-4-methylamphetamine.

<u>DET</u> is diethyltryptamine.

<u>DMT</u> is dimethyltryptamine. It is sometimes known as the "businessman's trip" because its effects last only about one hour (i.e. short enough to occupy a "businessman's lunch").

An important fact about many Hallucinogens is that they are not addictive. Nevertheless, many Hallucinogen abusers frequently use these drugs, because they enjoy the effects.

The most common method of ingesting Hallucinogens is orally. Psilocybin mushrooms and peyote "buttons" can be eaten "as is". LSD often is placed on bits of paper, or on sugar cubes, and eaten.

Some Hallucinogens can be smoked.

Some MDA users snort that drug.

Some LSD users inject that drug.

B. Possible Effects of Hallucinogens

In general, Hallucinogens intensify whatever mood the user is in when the drug is ingested. If the user is depressed, the drug will deepen the depression. If the user is feeling pleasant, the drug usually will heighten that feeling. If the user expects that the drug will help him or her achieve new insights or an expanded consciousness, the drug will seem to have that effect. However, use of Hallucinogens often uncovers mental or emotional flaws of which the user was unaware. Such flaws can result in the panic and terror of a "bad trip" even though the user was expecting a pleasurable experience.

The most common effect of an Hallucinogen is hallucination. The user's perception of reality is severely distorted, often to the point of synesthesia. This makes it virtually impossible for the Hallucinogen-influenced person to function in the real world.

C. Onset and Duration of Hallucinogens' Effects

- 1. Peyote's effects generally begin to be felt within one-half hour after eating the cactus "buttons". The initial effects often include nausea, possible vomiting, mild rise in blood pressure, pulse rate and temperature. And, the pupils dilate. After about one hour, sensory changes begin. The user experiences visual distortions, accompanied by rich colors. Objects take on new forms and begin to move. Shapes "come alive". The sensory changes reach their peak in about 3-4 hours, with synesthesia occurring at about that time period. After about 10 hours there will be a gradual decline in effects, with near total recovery in about 12 hours.
- 2. <u>Psilocybin's</u> effects also start to develop in about one-half hour. The user first experiences dizziness, a light headed feeling, and giddiness. The extremities (hands, feet, etc.) begin to feel very light or very heavy. After about 30-60 minutes, vision blurs. Colors become brighter and leave longer lasting after images. Objects take on sharp visual definition and hearing becomes more acute.

Sixty to ninety minutes after eating the mushrooms, color patterns and shapes start to develop. The surfaces of objects become wavy. Feelings of euphoria develop. Shortly thereafter, body sensations increase, along with mental perceptions. The user often becomes introspective.



After 2-3 hours, the effects begin to diminish.

- 3. <u>Salvia divinorum</u> effects can begin within minutes when smoked and can last up to 15-30 minutes. When the leaves are chewed, effects can last up to one hour.
- 4. <u>LSD's</u> effects begin to be felt in 30-45 minutes. Pulse rate, blood pressure and temperature rise. The pupils dilate. The hair starts to stand on end (piloerection). Nausea, dizziness and headache develop. The effects reach their peak in about 4-6 hours. After 7-9 hours, the effects diminish. The user generally feels normal after 10-12 hours.
- 5. MDMA's (Ecstasy) effects usually begin within several minutes to a half hour if taken orally. It often results in severe dehydration and heat stroke in the user. The drug can heat the user's body up to a temperature well over 100 degrees. It causes hyperthermia, muscle breakdown, seizures, stroke, kidney and cardiovascular system failure, as well as permanent brain damage from repetitive use. The psychological effects of Ecstasy include confusion, depression, anxiety, sleeplessness and paranoia. The duration of effects can last from 1-12 hours depending on the dosage.
- 6. <u>MDA's</u> effects usually begin within 40-60 minutes. The pupils dilate. Pulse rate and blood pressure increase. The effects reach their peak in about 90-120 minutes, and usually have dissipated within 8 hours.

7. <u>2CB's</u> effects normally begin within 30-45 minutes. At lower doses (5-15 mg), it produces enhanced sensual sensations and feelings of being "in one's body". At higher doses (15-30 mg) it produces intense visual effects. The effects can last for approximately 2 -3 hours.

D. Signs and Symptoms of Hallucinogen Overdose

It is unlikely that Hallucinogens <u>directly</u> are life threatening. However, overdoses have often <u>indirectly</u> resulted in death. For example, one LSD user was killed when he attempted to stop a train, bare handed. The extreme panic and agitation of a "bad trip" have been known to lead to suicide, or to accidental deaths as users have tried to flee from their hallucinations.

The most common danger of an Hallucinogen overdose is an intense "bad trip", which can result in severe and sometimes permanent psychosis.

There is some evidence that prolonged use of LSD may produce organic brain damage, leading to impaired memory, reduced attention span, mental confusion, and impaired ability to deal with abstract concepts.

E. Expected Results of the Evaluation

When a person under the influence of an Hallucinogen is evaluated by a DRE, the following results can generally be expected:

<u>Horizontal Gaze Nystagmus</u> - none

<u>Vertical Gaze Nystagmus</u> - none

Lack of Convergence - none

Pupil size - dilated

<u>Reaction to light</u> - normal. However, certain Psychedelic amphetamines may cause slowing of the pupil's reaction to light.

Pulse rate - up

Blood pressure - up

Temperature - up

<u>Muscle tone</u> – rigid

<u>Injection sites</u> generally will not be found. However, some LSD users do inject the drug.

General Indicators:

- body tremors
- dazed appearance
- difficulty with speech
- disoriented
- flashbacks
- hallucinations
- memory loss
- nausea
- paranoia
- perspiring
- poor perception of time and distance
- synesthesia
- uncoordinated

Topics for Study

1.	What does "synesthesia" mean?
2.	What is a "flashback"? What are the three types of "flashback"?
3.	Name two naturally occurring Hallucinogens.
4.	What is a "bad trip"?
5.	What does "psychotomimetic" mean?
6.	What is an "illusion"? What is a "delusion"?
7.	What is the difference between "hallucinations" and "pseudo-hallucinations"?
8.	What is "piloerection"?

		DR	RUG IN	IFLI	UENC	E EV	ALI	UATION	V			
Evaluator	DRE# Rolling Log#											
Sgt. Barry Dixson, Chave Recorder/Witness	8744 07-220 Crash: ⊠ None			Session XIV #1 Case # 07-15153								
Tpr. Michael Champion	☐ Fatal ☐	Fatal Injury Property										
Arrestee's Name (Last, First, M Hoeckle, Rebecca S.	9/23/62	hate of Birth Sex Race Arresting Officer (Name, ID#) 9/23/62 F I Tpr. Michael Champion, New M						w Mevi	co SP #3238			
	Date Examined / Time /Location				Breath Results: Test Refused				Chemical T		rine Blood	
7/29/07 2030 Ch	Results: 0.00 Instrument #: 13340											
Miranda Warning Given	ve you eaten today? When? What have yo						How much?	1 00	ime of last drink?			
Given By: Tpr. Champion Time now/ Actual	☐ No When did you las			g, I'm fasting" "I don't drink" w long Are you sick or injured? Are you diabetic o							J/A	
7 pm / 2040 I		6-7 hour	s	□ Yes □ No Upset stomach □ Yes □ No								
Do you take insulin?			ou have any p		l defects?				er the care of a d	loctor or o	dentist?	
☐ Yes ⊠ No Are you taking any medication	or drugs?		Yes ⊠ No	Yes No Attitude: Coordination:								
☐ Yes ⋈ No			Witho	drawn,	, distracte	ed		Very poor, difficulty standing				
Speech: Rapid, stuttering		Breat	h Odor: Sour, rancid					Face: Flushed				
Corrective Lenses: None					d Conjunctiv			Blindness:	A [] "	Track		
☐ Glasses ☐ Contacts, if s	so Hard	Soft						None ☐ Le		⊠ E		
Unequal (exp					☐ Yes 🏻			Yes [Eyel	☐ Droopy	
Pulse and time	HGN		Left Ey	ye	Right Eye		0-	nvergence		ONE	LEG STAND	
1. 104 / 2040	Lack of Smo		No	0	No	_		ALVEIGENCE .		1	② ③	
2. 112 / 2057	Maximum Do		No		No	1			2			
3. 104 / 2112 Romberg Balance	Angle of Ons Walk and T		No	ne l	None		Right ev	ve Left eve		0	(R) (L) (B)	
Teomoorg Dammee	Trunk und 1	um tost			Cannot k	eep balance	X	XX		L/	UUR	
00	(6)(6)	E COVID	400M	v=10	Starts too	o soon				_	•	
	/ 1		1st Nine 2nd						Nine L R ⊠ □ Sways while balancing (1/0) □ □ Uses arms to balance (0/0)			
IYY	(P)	DEVE	Stops walking									
	111,				Misses he		_				ng (0/0)	
					Steps off						oot down (3/0)	
Unable to stand	Test stopp	ed			Raises ar	1			Test of	tonnad t	for safety reasons	
	D 1 7					eps taken	, ,					
Internal clock N/A estimated as 30 seconds	Describe T	urn				ot do test			Type	of footw	vear: Leather sandals	
Draw lines to sp	ots touched		PUPIL S	PUPIL SIZE Room light Darkness Direct Nasa						rea:		
			Left E	Left Eye 7.0 8.5					2.0 – 4.5 Clear 6.5			
B (1)							0.0	Oral car	vity:		
	/</td <td>_</td> <td>Right F</td> <td>Eye</td> <td>7.0</td> <td colspan="2">8.5</td> <td>6.5</td> <td>Clear</td> <td></td> <td></td>	_	Right F	Eye	7.0	8.5		6.5	Clear			
0836	5h.						EBOUND DILATION REACTION TO LIGHT:					
(2)	11/1	7				K	EBUU			Norma		
0	X				RIGHT	ΓARM				TARM		
T X Z	X 73	7		_	7							
(5)	1/6			=	-							
		_				/	E)		alex.	_		
						/	9		mi	1		
										-	\supset	
Blood pressure	Tempera	ture	-	=	=		-		_	_		
148/104	100.				2		_	_			2	
Muscle tone: □ Normal □ Flaccid □ Rigid Nothing observed												
Comments: Rigidity in arms												
What drugs or medications have "My medium doesn't permit drug		P How N/A	much?			Ti N	ime of	use? Wh	ere were the dru	igs used?	(Location)	
Date / Time of arrest:	Time DRE wa		Eval		start time:	Evaluation		pletion time:	Precinct/Stat	tion:		
07/29/07 1930 Officer's Signature:	2010		DRE #		eviewed/app	2135	date					
			8744	100			auto.					
	Rule Out	Alcohol				CNS Stimul			ciative Anesthetic		☐ Inhalant	
	Medical	☐ CNS De	pressant			Hallucinoge	en	☐ Narce	otic Analgesic		Cannabis	

DRUG INFLUENCE EVALUATION NARRATIVE

Suspect: Hoeckle, Rebecca S.

- 1. **LOCATION:** The evaluation took place at the Chaves County Jail.
- **2. WITNESSES:** The arresting officer, Trooper Michael Champion of the New Mexico State Police witnessed and recorded the evaluation.
- **3. BREATH ALCOHOL TEST:** Hoeckle's breath test was a 0.00%.
- **4. NOTIFICATION AND INTERVIEW OF THE ARRESTING OFFICER:** Writer was contacted by Trooper Champion and requested to conduct a drug evaluation on Hoeckle. Writer contacted Trooper Champion at the jail where he advised that he had found the suspect stopped at a green light in downtown Roswell. When contacted, the suspect appeared dazed and disoriented. She pointed to the traffic light and told Trooper Champion that "God is light and the light is God." She was unable to perform the roadside SFST's and was arrested for DUI.
- **5. INITIAL OBSERVATION OF SUSPECT:** The suspect was seated next to the Intoxilyzer and was staring straight ahead. She slowly turned and asked "Are you God?" Writer replied by giving her my name and asking for consent to conduct a drug evaluation on her. She replied, "The gods sent you therefore you must be good." Her speech was rapid and she stuttered slightly.
- **6. MEDICAL PROBLEMS AND TREATMENT:** The suspect indicated that she had an upset stomach and was not feeling good.
- 7. **PSYCHOPHYSICAL TESTS:** The suspect was unable to stand without assistance. It was necessary to terminate the Romberg Balance, Walk and Turn and One Leg Stand tests for her safety. The Finger to Nose test was conducted while she was seated. She missed the tip of her nose on all six attempts.
- **8. CLINICAL INDICATORS:** The suspect's pupils were dilated in two of the lighting levels. Her pulse, blood pressure and temperature were above the normal ranges.
- 9. SIGNS OF INGESTION: The suspect's breath was sour smelling and was rancid.
- **10. SUSPECT'S STATEMENTS:** The suspect stated she was fasting for religious reasons and that her medium forbids the use of alcohol and drugs. She further stated that her religious leader is a man "whose body is of fire and air and whose spirit is of light." She also indicated that she had just attended a service conducted by the medium.
- 11. DRE'S OPINION: In my opinion Hoeckle is under the influence of a Hallucinogen and unable to operate a vehicle safely.
- 12. TOXICOLOGICAL SAMPLE: The suspect provided a urine sample.
- 13. MISCELLANEOUS:

Rev. 3/08

		DR			LUENC	CE EV	AL	JUA	ATION				
Evaluator	DRE # Rolling Log #				Session XIV #2								
Sergeant Allan Kolak, Coral Gables P.D.				007401 05-07-09 Crash: ⋈ None			Ča	Case # 04-DRE-0123					
Kyle Clark, IPTM	Date of B	Fatal Injury Property											
Arrestee's Name (Last, First, Middle) Warburton, Cindy T.					F	W					Co. S.O.		
				7/18/82 F W ☐ Breath Results: Test Refused ☐									
05/10/07 2300		Results: 0.00 Instrument #: 13465											
Miranda Warning Given Given By: Dpty. Kehne	e you eater ti	u eaten today? When? What have you been drinking? How much?					Time of last drink? N/A						
Time now/ Actual W	ow long	long Are you sick or injured? Are you diabetic or epileptic?											
7:00 PM/2310 Y	rs.	☐ Yes ☒ No "I feel hot." ☐ Yes ☒ No							1 1 1 10				
Do you take insulin? □ Yes ⋈ No □ Yes ⋈ No □ Yes ⋈ No □ Yes ⋈ No										tor or dentist?			
Are you taking any medication of	or drugs?		Yes No						103 24 140	Coordination:			
☐ Yes ⊠ No					ed, paranoi	d				Poor, staggering			
Speech: Rambling, incohere	nt at times	Breati	Odor: No	rmal				Face	e: Perspiring				
Corrective Lenses: None					lened Conjund		v		ndness: None 🔲 Left [7 Right	Tracking: ☑ Equal ☐ Unequal		
☐ Glasses ☐ Contacts, if s Pupil Size: ☒ Equal	o 🗌 Hard	Soft	Z Nom	1	Vertical Ny		,		le to follow stim		Eyelids Normal		
☐ Unequal (exp			[T = 0	Free	☐ Yes	⊠ No			☑ Yes ☐ N	18	ONE LEG STAND 3		
Pulse and time	HGN		Left		Right E			Conv	rergence	10	ONE LEG STAIND 3		
1. <u>112</u> / <u>2314</u> 2. <u>116</u> / <u>2325</u>	Lack of Sme Maximum I		-	110					()		@ #		
2. <u>116</u> / <u>2325</u> 3. <u>116</u> / <u>2340</u>	Angle of Or			No No None None					Left eve				
Romberg Balance	Walk and					ot keep balan		XX					
0" 0" 3" 3"	P	M M	M S	M	1	too soon	X						
00	(0)	DOG	1	NE	D States	100 50011		I. R					
	Corata	ntessare	revel	Stops walking					1st Nine 2st Nine				
	Lake	The same	7	Misses heel-toe					⊠ Uses arms to barance (2/2)				
		M	S M S M Steps off line					XXX XXX □ Hopping □ Puts foot down (1/1)					
					Raise	s arms	-				ruis foot down (1/1)		
	Leg treme	ors		Actual steps taken 9 8 Leg tremors						mors			
Internal clock	Describe			Cannot do test (explain) Type of footwear:						footwear:			
10 estimated as 30 seconds Draw lines to sp	Lost balance		PUPII		E Room		arkne		Direct	Nasal area	a:		
Diaw into to sp	ous coucine		Left	2.5 – 5.0 5.0 Left Eye 6.0 9					2.0 - 4.5				
A //	11	A	Len	Lyc	6,0	6.0)	5.5	Oral cavit	ty:		
)) 4		Righ	t Eye	6.0		9.0)	5.5	Clear			
1 1/2.	n h												
3 D 3 T	0, K)	1		REBO					EBOUND DILATION REACTION TO LIGHT: ☐ Yes ☒ No Normal				
	P L	^	-		RIG	HT ARM	1	☐ Yes ☒ No Normal LEFT ARM					
(1)	X	3		And The state of t									
(5)	11	6							1 1				
O I	1 2	-7					1	2		A. S.			
Opened her eyes.						-/		9		In In			
Blood pressure	Tamp	erature	-		=		_		_	_			
150/102	99				2			_			7		
Muscle tone: □ Normal □ Flaccid □ Rigid Nothing observed													
Comments:													
Nothing N/A N/A No answer													
Date / Time of arrest: 05/10/07 2230	Time DRE 2240	was notifie		valua 2300	tion start time	2355	,		oletion time:	Traffic	JII.		
Officer's Signature: DRE # Reviewed/approved by / date: 7401													
	Rule Out	☐ Alcoh	ol			CNS Sti		nt		tive Anesthetic	☐ Inhalant		
	Medical	☐ CNS I	Depressant				nogen		☐ Narcotic	Analgesic	Cannabis Revised. 06		

DRUG INFLUENCE EVALUATION NARRATIVE

Suspect: Warburton, Cindy T.

- 1. **LOCATION:** The evaluation was conducted at the Naples Jail Center.
- 2. WITNESSES: DRE State Coordinator, Kyle Clark witnessed and recorded the evaluation.
- **3. BREATH ALCOHOL TEST:** Warburton's breath test was 0.00%.
- 4. NOTIFICATION AND INTERVIEW OF THE ARRESTING OFFICER: The writer was on-duty when informed by dispatch that Deputy Kehne was requesting a drug evaluation. Writer contacted Deputy Kehne at the Jail Center where he advised the suspect had been arrested after driving along the gravel shoulder of Beach Road passing other vehicles. According to Deputy Kehne, the suspect pointed to his baton and shouted "Look out, there's a big snake hanging from your belt!" She was very paranoid acting and also claimed that the overhead lights on the patrol car were bleeding into her eyes and skin.
- 5. INITIAL OBSERVATION OF SUSPECT: Writer first observed the suspect sitting in the interview room. She appeared paranoid and disoriented. At one point she pointed to the clock on the wall and shouted, "Keep that off me, keep it away from me!"
- **6. MEDICAL PROBLEMS AND TREATMENT:** None observed and none stated.
- 7. PSYCHOPHYSICAL TESTS: Romberg Balance: Suspect swayed approximately 3" side to side and estimated 30 seconds in 10 seconds. Walk & Turn: Suspect started walking too soon, lost her balance during the instructions, missed heel to toe, stopped walking, stepped off the line, raised her arms, staggered while turning and only took eight steps on the return. One Leg Stand: Suspect swayed, raised her arms, and put her foot down. Finger to Nose: Suspect missed the tip of her nose on each attempt. She also opened her eyes and shouted, "I can't feel my face!" "My face is missing!"
- **8. CLINICAL INDICATORS:** The suspect's pulse, blood pressure and temperature were above the normal ranges. The suspect's pupils were dilated.
- 9. SIGNS OF INGESTION: None observed.
- 10. SUSPECT'S STATEMENTS: The suspect stated that she felt hot and denied drug use.
- 11. **DRE'S OPINION:** In my opinion Warburton is under the influence of a Hallucinogen and unable to operate a vehicle safely.
- **12. TOXICOLOGICAL SAMPLE:** The suspect provided a blood sample.
- 13. MISCELLANEOUS: The suspect was wearing an "XTC" tee-shirt.

Rev. 03/08

	1	DRUGI	NFI	LUENC	EEV	ALI	HATION				
DRUG INFLUENCE EVALUATION Evaluator DRE # Rolling Log #											
Officer David Rencken, Recorder/Witness		005308 2007-04			Session XIV #3						
Tim Gaffney, Phoenix P.		Crash: ⊠ None □ Fatal □ Injury □ Property				Case # 07-001428					
Arrestee's Name (Last, First, N	Date of E		Sex	Race		sting Officer (Nan		D.D. 1100.15			
Buchanan, Lew B. Date Examined / Time /Location	6/19/7 Breath Re		M	B t Refused [icer Terry McC					
01-25-07 0115	Central Testing	Results:			rument #: 1						
Miranda Warning Given							ou been drinking? How much? Time of last drink?				
Given By: D. Gregory Time now/ Actual	☐ No Pizz When did you last sleep		about 6pm Beer ow long Are you sick or injured?					WO or enilentic?	8pm		
	Last night 3 hrs.	. How long	w long								
Do you take insulin?	D		u have any physical defects? Are you under the care of a doctor or dentist?								
☐ Yes ☒ No Are you taking any medication	or denos?	☐ Yes ☑ N	Yes ⊠ No ☐ Yes ⊠ No ☐ Coordination:								
☐ Yes ⊠ No	or drugs:			vn/coopera	tive		Very poor - staggering				
☐ Yes ⋈ No Withdrawn/cooperative Very poor - stage Speech: Difficulty in speaking, rambling Breath Odor: Normal Face: Dazed, perspiring heavily											
Corrective Lenses: Non	ie .			ened Conjunct			Blindness:		Tracking:		
☐ Glasses ☐ Contacts, if				Bloodshot	Watery		☑ None ☐ Left		☑ Equal ☐ Unequal		
Pupil Size:	nlain)			Vertical Nys		1	Able to follow stin ☑ Yes ☐ 1		Eyelids Normal		
Pulse and time	HGN	Left l	Eye	Right Eye			□ 103 □ 1	No Droopy ONE LEG STAND			
1. 116 / 0130	Lack of Smooth Pur	suit	No	No	-	Co	onvergence				
2. 112 / 0147	Maximum Deviation		No	No		-)	030		
3. 104 / 0200	Angle of Onset		one	None		Right ex	ve Left eve				
Romberg Balance	Walk and Turn te	st		Cannot	keep balance	X	XX				
3" 3" 3" 3"			_	Starts to	oo soon						
00	0000	(D) 4 (D) (C)	DG			1817	Nine 2 nd Nine	L R			
4 4	THE WAR	TA UD OF	1) (B)	Stops w	alking	\subseteq	Nine 2 Nine		Sways while balancing (1/0)		
1 1	1 diam			Misses	heel-toe	/			Uses arms to balance (0/0) Hopping (0/0)		
				Steps of	ff line		7		Puts foot down (3/0)		
/ /\	Test stopped for	safety reaso	ons-	Raises a	ırms						
	could not mainta	ain balance		Actual	steps taken			Stoppe	d test for safety reasons		
Internal clock 35 estimated as 30 seconds	Describe Turn		Cannot do test (explain) Stepped off line 3 times during instruction Type of footwear: Running shoes								
Draw lines to s	oots touched	PUPIL	PUPIL SIZE Room light Darkness Direct Nasal area:								
		Left	Eve	2.5 - 5.0		-8.5	2.0 - 4.5	Clear			
B 11	11 1	Louis .		6.5	9	0.0	6.0	Oral cay	vity:		
	2/	Right	Right Eye		C	0.0	6.0 Clea				
2	ab.			6.5							
(2) (3)	- KIA		REBOUND DILATION ☐ Yes						REACTION TO LIGHT:		
(cal)	K			RIGH	Normal ARM						
4	* \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		ALGIT ARM								
(5)	1		E	-)	_	(13		
	701				1	S		1			
					-	3		April 1			
				(-							
Blood pressure	Tamasantan					-					
146/102	Temperature 100.5		5	2		_					
Muscle tone:						7	Nothing observ	red			
☐ Normal ☐ Flaccid	igid					1	County Coset V	C U			
What drugs or medications have Nothing	e you been using?	How much?				ime of			s used? (Location)		
Date / Time of arrest:	Time DRE was notif	No answer No answer Refused DRE was notified: Evaluation start time: Evaluation completion time: Precinct/Station:									
01/25/07 0055 0100 0115 0205 Officer's Signature: DRE # Reviewed/approved by / date:											
Officer's Signature.		DRE # 005308	8	Keviewed/ap	proved by /	date:					
	Rule Out 🛛 Alc	ohol			CNS Stimu		☐ Dissociat	ive Anesthetic	☐ Inhalant		
	Medical CN	S Depressant			Hallucinoge	en	☐ Narcotic	Analgesic	Cannabis		
									Revised. 06/07		

DRUG INFLUENCE EVALUATION NARRATIVE

Suspect: Buchanan, Lew B.

- **1. LOCATION:** The evaluation was conducted in the Central Testing Room at the Tucson Police Department.
- **2. WITNESSES:** The evaluation was witnessed by the arresting officer; Officer Terry McCarthy of the Tucson Police Department and Tim Gaffney of the Phoenix P.D.
- **3. BREATH ALCOHOL TEST:** Buchanan's breath test was 0.02%.
- 4. NOTIFICATION AND INTERVIEW OF THE ARRESTING OFFICER: The writer was dispatched to Central Testing to conduct a drug evaluation for Officer McCarthy. Officer McCarthy stated that he had observed the suspect driving 20 miles under the posted speed limit on E. Broadway Street. He also observed the suspect's vehicle drifting from lane to lane. The suspect preformed poorly on the SFST's and was arrested for DUI.
- 5. INITIAL OBSERVATION OF SUSPECT: Writer first observed the suspect in the breath testing room. He was swaying slightly as he stood and appeared dazed and disoriented. He responded slowly to my greeting, but was cooperative and responsive to my questions. He was perspiring heavily and had rambling speech.
- **6. MEDICAL PROBLEMS AND TREATMENT:** Suspect stated he felt nauseous.
- 7. **PSYCHOPHYSICAL TESTS:** Romberg Balance: Suspect swayed approximately 3" in a circular motion and estimated 30 seconds in 35 seconds. Walk & Turn and One Leg Stand: Suspect was unable to perform the tests. Both were terminated for safety reasons. Finger to Nose: Suspect missed the tip of his nose on each attempt.
- 8. **CLINICAL INDICATORS:** The suspect's pupils were dilated in all three lighting levels. The suspect's pulse, blood pressure and temperature were above the normal ranges.
- 9. SIGNS OF INGESTION: None were observed.
- **10. SUSPECT'S STATEMENTS:** The suspect admitted drinking "a couple of beers" but denied any other drug use.
- 11. **DRE'S OPINION:** In my opinion Buchanan is under the influence of Alcohol (ETOH) and a Hallucinogen and was unable to operate a vehicle safely.
- **12. TOXICOLOGICAL SAMPLE:** The suspect provided a blood sample.
- **MISCELLANEOUS:** A small baggy of dried mushrooms were located in the suspect's coat pocket. He denied ownership and said he didn't know what they were.

Rev. 03/08